

APPENDIX E

UTILITIES CORRESPONDENCE

- Letter from HDR to Utility Contact on February 17, 2006
- Letter from HDR to East River Electric Coop Inc. on April 19, 2006
- Letter from HDR to Utility Contacts on March 13, 2007
- Public Utility Meeting Attendance Sheets from March 20, 2007
- Public Utility Meeting on February 8, 2011
- Letter from SDDOT to Utilities Contacts on December 20, 2010

February 17, 2006

<name>
<address>
<city>

**RE: P 0100(101)405 PCN 00T7
Minnehaha & Lincoln County
SD100 – Corridor Preservation**

To Utility Contact:

HDR is under contract with the SDDOT to provide ROW Plans & Plats for the East Side Corridor roadway project or SD100. SD100 will be a limited-access high-speed arterial roadway with a typical 200' wide ROW corridor. The section will consist of an urban roadway with raised median, 2 lanes in each direction, shoulder, storm sewer, C&G and bike path. Please see the attached exhibit for the project limits.

We would like to obtain information from your company of any crossings, currently or in the planning stages in relation to this corridor. This information will be utilized as HDR develops the roadway alignment. We have included an overall map and 400 scale layout sheets for your use. You may mark directly on the layout sheets and return to HDR or you may provide us a CADD drawing if this is more convenient.

The corridor shown on the layout sheets has been carried forward from the EA which was completed in 2003. HDR is moving forward with ROW plans with this alignment. Alignment alternatives are being reviewed at the north end between Rice Street & I-90 in order to minimize impacts to the floodplain. HDR will provide updates to any alignment changes as they occur. The EA has also identified three possible interchange locations. They are at the intersections of Minnesota Ave, SD11 and Rice Street. At this point in time it is unknown how these interchanges will be configured if they are warranted.

HDR would appreciate your response by March 3 to better assist us as we finalize the alignment. A table of utility contacts has also been included for your review and comment. Please contact HDR with any questions you may have in regards to this corridor.

Sincerely,

Jason Klemme, PE

Cc: Mark Leiferman, Steve Hoff, File

Encl: Overview Map, 400 Scale Layouts & Utility Contacts Table

HDR Engineering, Inc.

6300 S Old Village Place
Suite 100
Sioux Falls, SD 57108-2102

Phone: (605) 977-7740
Fax: (605) 977-7747
www.hdrinc.com

SD100 - UTILITY CONTACTS

Type of Utility	Company	Contact Person
Cable TV	Midcontinent Communications	Erin Hayes
Gas	Northern Natural Gas Company	Mike Garry
		Rick Lester
Gas	MidAmerican Energy	Eric Berg
Power	Western Area Power Administration	Tom Zender
Power	Xcel Energy	Pam Osthus
Power	Southeastern Electric Cooperative, Inc.	Roger Smith
Power	Sioux Valley Energy	Joel Boy
Power	City of Sioux Falls Light Division	Mike Burkard
Railroad	BNSF	Tom Neeser (Road Master)
		Spencer Arndt (Dir. Of Operations)
Railroad	Ellis & Eastern	Jon Mulloy
Sewer	City of Brandon	Wayne Fletcher
Telephone	MCI	ATTN: Investigations (Beth Seubert?)
Telephone	Alliance Communications	Bob Stiefvatter
Telephone	Qwest	Bob Donat
Water	Lincoln County Rural Water	Dennis Larson

SD100 - CORRIDOR PRESERVATION

P 0100(101)405 PCN 00T7
MINNEHAHA & LINCOLN COUNTY



April 19, 2006

Dan Wall
Manager Engineering Services Department
East River Electric Coop. Inc.
PO Box 227
Madison, SD 57042-0227

Re: P0100(101)405, PCN 00T7
South Dakota 100 (East Side Corridor)

Dear Dan:

A meeting has been scheduled for Wednesday, April 26, 2006 @ 10:00 a.m. at HDR's Sioux Falls Office Main Conference Room. The purpose of the meeting will be to discuss alternate alignments for the above referenced project and impacts each alignment may have to your utilities.

Please confirm that either you or your representative will be able to attend this meeting. If you have any questions prior to the meeting, please call me at 977-7740.

HDR Engineering has relocated in Sioux Falls and as many may not have previously visited our new office, I have included a map showing our new location.

Thank you for your cooperation.

Very truly yours,

HDR ENGINEERING, INC.

Steve Hoff, PE
Project Manager/Vice President

cc Mark Leiferman
Dave Hausmann
File

Enc.

March 13, 2007

«Utility_Company»

«Contact»

«Address»

«City», «State» «Zip_Code»

Re: P 0100(101)405 Minnehaha and Lincoln Counties, PCN 00T7
South Dakota Highway 100 (East Side Corridor)
Corridor Preservation of a 17 mile limited access highway

Dear «First_Name»:

An informational utility meeting for the above referenced project has been scheduled for Tuesday, March 20, 2007 @ 8:30 a.m. at the SDDOT Area Office, Conference Room A. The purpose of the meeting will be to introduce the utility companies to the South Dakota 100 (SD100) corridor project. The preliminary alignment of the proposed SD100 corridor has been established and will be discussed in detail during this meeting. Informational packets will also be available for attendees to review and comment.

Please let us know if you or somebody else from your company will be able to attend this meeting. If you have any questions prior to the meeting, please call me at 977-7740.

To familiarize you with the project, a summary brochure is attached to this letter.

In addition to this meeting, SDDOT/HDR would like to meet with you individually to discuss your existing utility locations and possible expansion along the SD100 corridor. We would like you to call the HDR Administrative Assistant at 605-977-7740 to schedule an individual meeting time for Tuesday following the informational meeting. The meetings will be approximately 30 minutes long, but we will spend whatever time is needed.

If you have any questions prior to either of the meetings, please call me at 977-7740.

Thank you for your cooperation.

Sincerely,

Steve Hoff, P.E.

Project Manager

cc Mark Leiferman
Dave Hausmann
Craig Smith
File

Enc.

Public Utility Meeting
March 20, 2007

SDDOT SD100 Corridor Preservation
PROJECT NUMBER P 0100(10)405 PCN 00T7
in Minnehaha and Lincoln Counties

- PLEASE PRINT -

Name	Company	Phone	Address
Bob Donat	Quest	339-5343	125 So. Dak. Ave Sioux Falls 57104
Kurt Danehan	East River Electric	256-8018	PO Box 121 Madison SD 57042
Dave Hausmann	SDDOT	773-6593	dave.hausmann@state.sd.us
TIM ERICKSON	HDR	782-8119	
Joel Bey	Sioux Valley Energy	582-3158	Joel.Bey@SiouxValleyEnergy.com
Craig Smith	SDDOT	367-5680	
KRISTEN GANDVARDEN	HDR	977-7752	
Doug Bartling	Southeastern Elec	940-0873	Worthing, S.D.
Roger Smith	Southeastern Elect	246-6480	Worthing S.D. rsmith1@iw.net
Lila Vaselaar	Western Area Power	353-2556	200 4th St, Huron, SD
David Hinckley	Western Area Power	353-2555	200 4th St. Huron, SD
Shawn Anderson	Primitive Communications	263-7206	29205 453rd Ave Irene SD
TIM GABRAIT	MEC	373-6047	
Eric Bey	MEC	373-6038	
D. Nick Nicholson	Magellan Pipeline	330-2637/941-0287	5300 W. 12th St. Sioux Falls, SD 57107
Randy Waits	City Engineers	367-8655	City Hall
Shannon Ausen	City Engineers	367-8607	224 W. 9th St. SF 5057104

pdf's

need copy -

need
city's
pdf.

Utility Coordination Meeting
Project: P 0011(49)69
PCN 00CP
SD 11
February 8, 2011

The following is a summary of the group utility meeting held on February 8, 2011, in Sioux Falls. Those representing the utility companies are listed below. The DOT was represented by: Paul Nikolas, Cary Cleland, Larry Carlson, Dave Hausmann and Levi Briggs.

The meeting began with a brief overview and explanation both the north and south service road projects by Paul Nikolas, SDDOT and Jason Kjenstad, HDR Engineering. The following are comments collected from each individual utility company on the SD 11 highway project.

City of Sioux Falls, Jeff Dunn 367-8665; Represented by HDR Engineering, Jason Kjenstad 977-7755- City of Sioux Falls plans to perform work on 57th Street and 41st Street to tie into SD11 and HDR will be notifying the utility companies in a couple of weeks with the plans and information. Also, City of Sioux Falls, in conjunction with the highway project, will be placing a new water main in the east ditch of SD 11 from 26th Street to 57th Street between the highway and new bike path.

Lincoln County Rural Water (LCRW), Dan Schwarz, 605-767-2966 – Most of LCRW's facilities will have to be relocated with approximately 85-90% being on private easement. LCRW stated their water line from center line of 57th Street to 735 feet north is within the public right-of-way, the rest is on private easement. LRCW has one each 4 inch and a 5 inch water line not shown on plans from approximate station 577+00 to the north. Also not shown is an 8 inch water line from approximate station 606+90-R running north beyond end of project, station 615+69.00. LCRW would like to request the missing lines be shown on the plans.

Sioux Valley Energy (SVE), Joel Boy – 360-2258 and Tom Neville – 800-234-1960 – Sioux Valley Energy has underground power crossing SD 11 at approximate station 581+70. Then runs north on private easement to the east of SD 11 up to a switch at approximate station a598+90. From this switch SVE has a three phase and two single phase running north on private easement to the end of the project. Due to the highway project, SVE will be relocating to the east to private easement. SVE would like to request a utility easement corridor.

Qwest, Tony Vanderhagen, 605-339-5307 and Jeremy Studemann, 605-339-5773 – Qwest has fiber and copper within the public ROW in the east ditch of SD 11 from 57th Street to the end of the project. Qwest will need to relocate, preferably to the east. Qwest would like to request a utility easement corridor be provided on the east side of the project from 57th Street to the end of the project.

Midcontinent, Al Mullinix, 605-231-0388 - Midcontinent has fiber in public ROW in east ditch of SD 11 which will be relocated. Midcontinent would like to request a utility easement corridor be provided on the east side of the project.

Knology – Shawn Anderson, 605-263-7206 – Knology has fiber within the public ROW on the west side of SD 11 from beginning of the project to 57th Street, then turns and runs west on the south side of 57th Street. Knology will relocate their facility.

Southeastern Electric (SEE), Tim Chance, 605-934-1961, Doug Bartling, 605-940-0873, Roger Smith, 605-940-6480 – SEE has underground power from the beginning of the project on the east side of SD 11 to approximate station a542+00-R. This line remains outside the work limits and will not be adjusted. There is an overhead crossing on 57th Street which will be replaced with underground, also the overhead power on the west side of SD 11 running from approximate station 136+00-L to the pole in the northwest quadrant of the 57 St and SD 11 intersection will be removed.

ATTENDANCE ROSTER

Project No. P 0011(49)69	County: Minnehaha & Lincoln	PCN: 00CP
Location: Sioux Falls Area Office	Date: February 8, 2011	Time: 1:00pm

Name	Representing	Phone No.
LEVE BEFFIS	SDDOT	773-5098
Dave Hausmann	SDDOT	773-6593
Jim Evans	MLWC	428-3374
DAN SCHWARZ	ACRW	767-2966
JOEL BOY	SVE	360-2258
Eric Berg	MEC	373-6038
Tony vander Hagen	Qwest	605-339-5307
Jeremy Studemann	Qwest	605-339-5773
TOM NEVILLE	SIOUX VALLEY ENERGY	800-234-1960
Shawn Anderson	Knology	605-263-7206
Doug Bartling	Southeastern Elec.	605-940-0873
Tim Chance	Southeastern Elec.	605-934-1961
Roger Smith	Southeastern Elect.	605 940-6480
Al Mullinix	Midcontinent Communications	605-231-0288
Jeff Damm	City of SF	367-8665
Jason Kjaerstad	HDR	977-7755
CARY CLELAND	SDDOT - ROAD DESIGN	367-5680
LARRY CARLSON	SDDOT - ENGINEERING	367-5685
Paul Nikolas	SDDOT	367-5680



Department of Transportation
Division of Planning & Engineering
Right of Way Program - Utilities
700 E Broadway Avenue
Pierre, South Dakota 57501-2586 605-773-3746
FAX: 605-773-4249

December 20, 2010

Mr Chad Huwe
City of Sioux Falls
224 W 9th St
Sioux Falls SD 57104

RE: P 0011(49)69 PCN 00CP Minnehaha and Lincoln Counties
SD 11, from approx. 1200' S of 69th St N to approx. 1000 feet south of 26th St. in Sioux Falls, SD.

Dear Mr. Huwe:

Enclosed are preliminary construction plans showing the location of highway construction that may necessitate adjustment of your company's facilities. **This letter is formal notification of the impending construction.** This project is currently scheduled for letting on October 5th, 2011.

If your existing facility is located within the public right-of-way, your facility will have to be adjusted to accommodate project construction at no cost to the State pursuant to SDCL 31-26-23. **This law requires you to relocate your facilities at no cost to the State within 90 days from receipt of this notice, unless other arrangements are made with the Area Engineer.**

Should any part of your adjustment cost be reimbursable, (utility on private right-of-way), please draw the necessary adjustments on the plans, prepare a detailed estimate, and send both to this office. This letter is your authorization to proceed with preliminary engineering provided the engineering is done with your own employees. If you require the services of a consultant engineer, you will need to submit an ER-1 form. Please contact this office if you need the form.

Any relocation work required on private right-of-way must be completed by April 15, 2012 or sequenced with the construction with the approval of the Area Engineer. Therefore, we would appreciate receiving your cost estimate, if required, so we can prepare the agreement and authorize your work at the earliest possible time.

If you require assistance to determine any adjustment of your facility, please contact Mr. Craig Smith, Area Engineer, at telephone # 605-367-4970, Ext. 2110, 5316 W 60th St N, Sioux Falls, SD 57101-1927. Also, please coordinate and schedule your facility adjustment for both reimbursable and non-reimbursable work with Mr. Smith.

Please return or FAX the enclosed Project Inquiry Data Sheet as soon as possible and advise if a Lump Sum or Force Account Agreement is preferred or add any remarks you consider pertinent to this project.

Sincerely,

RIGHT OF WAY PROGRAM

Levi J Briggs
Transportation Specialist I

Enclosure

cc/em: Joel Gengler – ROW Program Manager
Tom Week - Region Engineer
Craig Smith - Area Engineer
Jennifer Neely – Local Government

PROJECT INQUIRY DATA SHEET

Please complete, sign and return this form to:

SD-DOT, ROW / Utilities, 700 E. Broadway Ave., Pierre, SD 57501-2586
Or FAX to 605-773-4249

Project No: P 0011(49)69 PCN 00CP

County: Minnehaha and Lincoln

Location: SD 11, from approx. 1200' S of 69th St N to approx. 1000 feet south of 26th St. in Sioux Falls, SD.

Name of Utility: City of Sioux Falls

Telephone No. _____

Official Notification: December 20, 2010

Was Received _____
(Date)

1. DO YOU HAVE FACILITIES INVOLVED ON THIS PROJECT? YES ____ NO ____
(a) If you have facilities near or within project limits and wish to have our contractor notify you prior to start of work, please furnish name & telephone number of contact person _____

2. WILL YOUR FACILITY NEED ADJUSTMENT?
(a) At State Cost? (Private Property) YES ____ NO ____
(b) At Company Cost? (Public Property) YES ____ NO ____
(c) Combination? YES ____ NO ____

3. WILL ENGINEERING BE DONE BY:
(a) Your own utility employees? YES ____ NO ____
(b) A consultant engineer? YES ____ NO ____
If by a consultant, Form ER-1 must be submitted for approval prior to start of work.

4. DO YOU PLAN ON DOING THE ADJUSTMENT WORK:
(a) With your own utility forces? YES ____ NO ____
(b) By contract forces? YES ____ NO ____
(c) If by both, explain _____

1. Do you propose to use a continuing contractor? YES ____ NO ____
If "yes" please submit copy of written continuing contract for State approval.

2. Will a contract letting be held? YES ____ NO ____
If written continuing contract is not in force a bid letting may be required. If a bid letting is necessary, copies of bid solicitations and a bid tabulation will need to be submitted for State approval prior to your awarding the contract.

5. DO YOU PREFER A FORCE ACCOUNT (ACTUAL COST) OR A LUMP SUM AGREEMENT?
Force Account _____ Lump Sum _____

6. CONSTRUCTION COSTS ARE NOT TO BE INCURRED UNTIL OFFICIAL WRITTEN AUTHORIZATION TO PROCEED WITH THE WORK IS GRANTED.

General Remarks: _____

Submitted by: _____, _____
Name Title

Utility Name

Mr Donald Pilla
Commercial Builders Call Line
1518 Chesnut Ave.
Minneapolis MN 55403

Ms Kathy Ronning
Xcel Energy
5363 261st St
Wyoming MN 55092

Ms Michele Nielson
Sioux Valley Energy Inc
PO Box 216
Colman SD 57017

Mr Tim Chance
Southeastern Electric Coop
PO Box 105
Alcester SD 57001

Mr Dan Kaiser
Qwest Corp
125 S Dakota Ave
Sioux Falls SD 57104-0002

Mr Ed Anglin
Paetec Communications Inc
PO Box 88835
Sioux Falls SD 57108

Mr Shawn Anderson
Knology Inc
PO Box 66
Irene SD 57037

Mr Tom Heier
Midcontinent Communications
PO Box 5040
Sioux Falls SD 57117

Mr Eric Berg
MidAmerican Energy
1200 S Blauvelt Ave
Sioux Falls SD 57105

Mr Troy Larson
Lewis & Clark Rural Water System
401 E 8th St Suite 306
Sioux Falls SD 57103

Mr Robin Dykstra
Lincoln Co Rural Water System
PO Box 36
Harrisburg SD 57032

Mr Scott Buss
Minnehaha Community Water Corp
47381 248th St
Dell Rapids SD 57022

Mr Chad Huwe
City of Sioux Falls
224 W 9th St
Sioux Falls SD 57104